



让技术更有价值

宇影


产品画册
PRODUCT BROCHURE

SHANDONG YUYING OPTICAL INSTRUMENT CO., LTD

Wechat



Whatsapp



Website



Sakura

Email: sakura@www.yuyingfresnel.com

Phone/Whatsapp +86 13826507576

ADD: No. 167, Huayuan Avenue, Linyi County,
Dezhou City, Shandong Province, China

企业简介 ► COMPANY PROFILE

Shandong Yuying Optical Instrument Co., Ltd. is a high-tech enterprise specializing in the R&D, design, manufacturing, and sales of Fresnel lenses.

Yuying occupies more than 200 acres, with over 70,000 square meters of built-up area. We currently employ over 600 people, including more than 80 R&D professionals. Our capabilities span the entire production process, including mold manufacturing, injection molding, compression molding, optical coating, testing, and assembly. We produce over 160 million Fresnel lenses annually.

With over 50 years of focused development, Yuying Optical has served more than 10,000 clients worldwide. and hold certifications including ISO9001, ISO14001, IATF16949, and SA8000.



科技精品/追求卓越/致力完美/信誉为尊.....
Technology Gifts / excellence / committed perfection / reputation for respect

产品目录 >

PRODUCT CATALOG

1/PIR FRESNEL LENS----- 05

2/FOR TEMPERATURE GUN----- 06

3/WALL MOUNTING PIECE----- 07

4/WALL MOUNTING $\leq$ 1.5M(----- 13

5/WALL MOUNTING > 1.5M----- 20

6/CEILING MOUNTING----- 25




红外感应透镜▶

INFRARED SENSING LENS

Yuying offers customized Fresnel lenses based on customer requirements, including different sensing angles, detection distances, sizes, and test ratios. All of our products are made using original molds, preserving the accuracy of the original design and reducing the precision loss and time delays caused by secondary mold changes. New products are typically available for sample delivery within 30 days.

应用场景▶

APPLICATION SCENARIO



智能家居



智能照明



智能机器人



测温枪



安防设施



户外照相机

For Thermometer Gun



Model: 12080
Size: $\varnothing$ 12
Focal: 8mm
Angle: 35°
Distance: 10m



Model: 13250
Size: $\varnothing$ 13
Focal: 25mm
Angle: 8°
Distance: 15m




Model: 1620
Size: $\varnothing$ 16.8
Focal: 20mm
Angle: 10°
Distance: 20m



Model: 1719
Size: $\varnothing$ 16.8
Focal: 19mm
Angle: 10°
Distance: 20m



Model: 20200
Size: $\varnothing$ 20
Focal: 20mm
Angle: 10°
Distance: 20m



Model: 20360
Size: $\varnothing$ 20
Focal: 36mm
Angle: 6°
Distance: 22m




Model: 22200
Size: $\varnothing$ 22
Focal: 20mm
Angle: 30°
Distance: 22m




Model: 25400
Size: $\varnothing$ 25
Focal: 40mm
Angle: 6°
Distance: 25m

Wall Mounting Piece




Model: 2220-251
Size: $\varnothing$ 22
Focal: 24mm
Angle: 50°
Distance: 16m




Model: 22203
Size: $\varnothing$ 22
Focal: 20mm
Angle: 45°
Distance: 15m




Model: 2218
Size: $\varnothing$ 22
Focal: 18mm
Angle: 45°
Distance: 20m



Model: 2224-03
Size: $\varnothing$ 21.9
Focal: 20mm
Angle: 55°
Distance: 16m



Model: YY-2308
Size: 8.6*23.5
Focal: 7.6mm
Angle: 120°
Distance: 7M




Model: YY-2312
Size: 12*23.5
Focal: 10mm
Angle: 80°
Distance: 10m




Model: YY-1022
Size: 22*10
Focal: 10mm
Angle: 80°
Distance: 10m



Size: 39*24.8
Focal: 20mm
Angle: 35°
Distance: 16.5m



Model: SB2512
Size: 25.5*12.5
Focal: 11mm
Angle: 100°
Distance: 11m




Model: YY5528
Size: 55*28.8
Focal: 25mm
Angle: 140°
Distance: 16m



Model: 7707-3A
Size: 77.4 *36.2
Focal: 25mm
Angle: 180 °
Distance: 16m



Model: 7803-1
Size: 39*25
Focal: 20mm
Angle: 80 °
Distance: 9m



Model: 7805-1
Size: 57*36
Focal: 22mm
Angle: 100 °
Distance: 10m



Model: 7809-5
Size: 43.3 *24.5
Focal: 25mm
Angle: 80 °
Distance: 10m




Model: 8719-A
Size: 53.5 *31
Focal: 25mm
Angle: 90 °
Distance: 10m



Model: BV-100DP
Size: 43.2 *19.7
Focal: 30mm
Angle: 15 °
Distance: 12m



Model: SIR 650
Size: 46*20
Focal: 30mm
Angle: 15 °
Distance: 12m



Model: YY-AA-V1
Size: 42.6 *61
Focal: 30.5mm
Angle: 155 °
Distance: 15m




Model: YY-EWA-V2
Size: 42.6*61
Focal: 30.5mm
Angle: 140 °
Distance: 15m




Model: YY-LR-V2
Size: 42.6 *61
Focal: 30.5mm
Angle: 154 °
Distance: 28m



Model: YY-EWA-V3
Size: 42.6 *61
Focal: 30.5mm
Angle: 140 °
Distance: 15m




Model:
YY-DWA-V2
Size: 42.6 *61
Focal: 30.5mm
Angle: 101 °
Distance: 9m




Model: YY-DWA-V1

Size: 42.6*61
Focal: 30.5mm
Angle: 101 °
Distance: 10M



Model:

YY-AA-12-V1
Size: 42.6*61
Focal: 30.5mm
Angle: 100 °
Distance: 12m




Model: YY-7526-25
Size: 74.82*25.7
Focal: 25mm
Angle: 180 °
Distance: 18m



Model: YY-3468
Size: 34*68
Focal: 25mm
Angle: 150 °
Distance: 15m




Model: YY-6531
Size: 63.3*51.15
Focal: 25mm
Angle: 120 °
Distance: ≥10m




Model: 8202-1
Size: 38.2*21.5
Focal: 16mm
Angle: 120 °
Distance: 12m



Model: 8526-1
Size: 84.7*25.6
Focal: 23mm
Angle: 120 °
Distance: 14m



Model: 7703-1
Size: 61*42.7
Focal: 30.5mm
Angle: 83 °
Distance: 15m



Model: 7809-2
Size: 56.3*43.7
Focal: 25mm
Angle: 100 °
Distance: 12m



Model:
YY-6034-30
Size: 60*34
Focal: 30mm
Angle: 90 °
Distance: 20m




Model: SIR 650P
Size: 59.5*39
Focal: 30mm
Angle: 90-100 °
Distance: 12m




Model: 7708-1
Size: 57.3*44.6
Focal: 29.7mm
Angle: 90 °
Distance: 10m



Model: 7708-3
Size: 58*45
Focal: 29.7mm
Angle: 80 °
Distance: 14m




Model: 7704-3
Size: 56.7 *35.7
Focal: 23mm
Angle: 110 °
Distance: 12m




Model: 8719
Size: 53.5*34
Focal: 25mm
Angle: 90 °
Distance: 10m




Model: 8203-1
Size: 56*44
Focal: 25mm
Angle: 110 °
Distance: 12m



Model: 614230
Size: 60.7 *42.4
Focal: 30.5mm
Angle: 90 °
Distance: 12m



Model: 8501-2G
Size: 76*36
Focal: 21mm
Angle: 120 °
Distance: 12m



Model: 7707-1A
Size: 91.3 *39.5
Focal: 25mm
Angle: 180 °
Distance: 16m



Model: 8202
Size: 62.5 *25
Focal: 16mm
Angle: 120 °
Distance: 12m




Model: 7707-5A
Size: 73.8 *26.2
Focal: 25mm
Angle: 150 °
Distance: 20m




Model: 5430
Size: 54*30
Focal: 23mm
Angle: 120 °
Distance: 15m




Model: 7707-B
Size: 39.5*85.3
Focal: 25mm
Angle: 180 °
Distance: 16m



Model: 7707
Size: 91.3*39.5
Focal: 25mm
Angle: 180 °
Distance: 16m




Model: WL-NK-04
Size: 54*25
Focal: 12mm
Angle: 120 °
Distance: 8m




Model: 86000
Size: 41.7*60
Focal: 30mm
Angle: 90 °
Distance: 15m



Model: LD-002
Size: 44.65*151.3
Focal: 25mm
Angle: 270 °
Distance: 15m



Model: AF-2430
Size: 116.5*38
Focal: 30mm
Angle: 180 °
Distance: 20m
Double PIR



Model: 8501-5
Size: 76*36.2
Focal: 20mm
Angle: 120 °
Distance: 10m



Model:
GB-01-3640
Size: Ø40
Focal: 12mm
Angle: 90 °
Distance: 12-16m



Model: YY-6434
Size: 34*64
Focal: 20mm
Angle: 160 °
Distance: 22m



Model: YY-3468
Size: 68*34
Focal: 25mm
Angle: 150 °
Distance: 15m



Model: YY-6034-30
Size: 34*60
Focal: 30mm
Angle: 90 °
Distance: 20m




Model: YY-180
Size: 39*90
Focal: 25.7mm
Angle: 180 °
Distance: 20m




Model: YY-3468-G
Size: 30*60
Focal: 25mm
Angle: 150 °
Distance: 15m




Model: YY-DL30
Size: 30.4*20.4
Focal: 35mm
Angle: 30 °
Distance: 35-40m



Model: YY-DL45
Size: 30.4*20.4
Focal: 25mm
Angle: 45 °
Distance: 25-30m



Model: YY-DL60
Size: 37.4*20.4
Focal: 25mm
Angle: 60 °



Model: YY-DL90
Size: 45.4*20.4
Focal: 25mm
Angle: 90 °
Distance: 25-30m




Model: YY-DL-50M
Size: 35*25
Focal: 50mm
Distance: 50m




Model: YY-DL120
Size: 60*25
Focal: 25mm
Angle: 120 °
Distance: 25-30m

Wall Mounting $\leq$ 1.5m(for Alarm and Night Light)



Model: 008140
Size: $\varnothing$ 13.2*5.5
Focal: 5.5mm
Angle: 90 °
Distance: 4m



Model: 008140-G
Size: 13.2*10*5.5
Focal: 5.5mm
Angle: 90 °
Distance: 4m



Model: 13120
Size: $\varnothing$ 13.5*9.4
Focal: 6mm
Angle: 120 °
Distance: 6m



Model: 13120F-2
Size: $\varnothing$ 12.5*10.6
Focal: 6mm
Angle: 120 °
Distance: 6m



Model: 13120F
Size: $\varnothing$ 14*10.4
Focal: 6mm
Angle: 120 °
Distance: 5-6m



Model: 011050
Size: $\varnothing$ 11.8*9.9
Focal: 5mm
Angle: 120 °
Distance: 5-6m



Model: 8120-1
Size: $\varnothing$ 13.1*7.2
Focal: 6mm
Angle: 120 °
Distance: 2m



Model: N0803-32
Size: $\varnothing$ 16*6
Focal: 6mm
Angle: 120 °
Distance: 5m



Model: 8006
Size: 10.9*7.14
Focal: 4mm
Angle: 120 °
Distance: 5m




Model: 8120-2
Size: $\varnothing$ 10.1*9
Focal: 5.2mm
Angle: 90 °
Distance: 5m




Model: 011050-G
Size: $\varnothing$ 11.8*9.73
Focal: 5mm
Angle: 120 °
Distance: 5-6m




Model: 8307-2
Size: 18.7*18.7*4
Focal: 8mm
Angle: 70 °
Distance: 6m




Model: 13120F-4
Size: $\Phi 14.2$
Focal: 6mm
Angle: 120 °
Distance: 6m




Model: YY-1102
Size: $\Phi 14$
Focal: 6mm
Angle: 130 °
Distance: 6m



Model: YY-4900
Size: 29*16
Focal: 8mm
Angle: 110 °
Distance: 7m



Model: YY-2308
Size: 8.6*23.5
Focal: 7.6mm
Angle: 120 °
Distance: 7M



Model: YY-2312
Size: 12*23.5
Focal: 10mm
Angle: 80 °
Distance: 10m



Model: YY-1022
Size: 22*10
Focal: 10mm
Angle: 80 °
Distance: 10m




Model: YY-0709
Size: 9*11
Focal: 3mm
Angle: 100 °
Distance: 5M



Model: YY-2230
Size: 29.74*20.39
Focal: 6mm
Angle: 120 °
Distance: 5m



Model: 8308-8G
Size: 10.4 *9.5
Focal: 4mm
Angle: 40 °
Distance: 5m



Model: SB2512
Size: 25.5 *12.5
Focal: 11mm
Angle: 100 °
Distance: 11m




Model: 13120F-3
Size: $\phi 14 * 10.4$
Focal: 6mm
Angle: 120 °
Distance: 8m



Model: N0803-32-4
Size: $\phi 15.7 * 7.81$
Focal: 6mm
Angle: 120 °
Distance: 6m



Model: 13120F-5
Size: $\Phi 13.7 * 6.6$
Focal: 6mm
Angle: 120°
Distance: 7m



Model: 8308-7
Size: 12.8 * 14
Focal: 7.5mm
Angle: 90°
Distance: 7m



Model: 2134-1
Size: 26.8 * 15 * 17.1
Focal: 7.5mm
Angle: 120°
Distance: 5m



Model: 2136-1
Size: 23.8 * 16.3 * 13.1
Focal: 7.5mm
Angle: 120°
Distance: 5m



Model: 2135-1
Size: 25 * 15 * 17
Focal: 7.5mm
Angle: 120°
Distance: 6m



Model: AL23
Size: 34.5 * 20 * 10.5
Focal: 20mm
Angle: Level 120°
Distance: 7-10m



Model: 8308-6
Size: 13.6 * 15.5
Focal: 9.6mm
Angle: 90°
Distance: 8m



Model: 8308-2
Size: $\Phi 11.5 * 14.5$
Focal: 6mm
Angle: 60°
Distance: 5m



Model: 8121-2
Size: $\Phi 9.8$
Focal: 5.2mm
Angle: 120°
Distance: 9m




Model: 8121-5
Size: $\Phi 9.8$
Focal: 5.2mm
Angle: 120°
Distance: 8m



Model: YY-788
Size: 7.8 * 5.2
Focal: 1.75mm
Angle: 90°
Distance: 4m



Model: LQ-01
Size: $\Phi 15.57 * 8.45$
Focal: 4mm
Angle: 90°
Distance: 2-3m



Model: SB-3611
Size: 35.3 *10.7
Focal: 7mm
Angle: 120 °
Distance: 6m




Model: YY-1010
Size: 12* 12*2.3
Focal: 5mm
Angle: 100 °
Distance: 2m



Model: ZMD-2211
Size: 22* 11*3.9
Focal: 4mm
Angle: 90 °
Distance: 5m



Model: HG2408
Size: 26*2.6
Focal: 6mm
Angle: 100 °
Distance: 7m



Model: YY-1608
Size: Ø17.5
Focal: 7mm
Angle: 120 °
Distance: 6m



Model: MD-3911
Size: 38.56*10.1*9056
Focal: 10mm
Angle: 120 °
Distance: 8m



Model: ZMD-3615-9
Size: 35.8* 14.8*8.3
Focal: 5.7mm
Angle: 120 °
Distance: 7m



Model: 8120-11
Size: Ø9.6*8.1
Focal: 3.4mm
Angle: 90 °
Distance: 5m



Model: ZMD-136
Size: 59.2*27*8.8
Focal: 8mm
Angle: 150 °
Distance: 8m
3 PIR



Model: 5526-21
Size: 55*26.4 *28.7
Focal: 21mm
Angle: 120 °
Distance: 10m




Model: ZW-01
Size: 13.4 *6.94
Focal: 4mm
Angle: 120 °
Distance: 6m



Model: 8120-10
Size: Ø9.91*6.3
Focal: 5.2mm
Angle: 120 °
Distance: 5m



Model: PN-08-4G
Size: 15.21* 14.95*5.48
Focal: 4mm
Angle: 90 °
Distance: 3m



Model: 8003-4
Size: φ23.2*18.8
Focal: 10mm
Angle: 120 °
Distance: 10m



Model: LC-2818
Size: 31.3 *27.7* 19.9
Focal: 13mm
Angle: 120 °
Distance: 10m



Model:
ZMD-2020-8
Size: Ø20*9.2
Focal: 5mm
Angle: 120 °
Distance: 5m



Model: A-17615
Size: 18.5*17.6*3.7
Focal: 15mm
Angle: 30 °
Distance: 12m




Model: ZMD-155
Size: 33.05* 17.45*4.5
Focal: 8mm
Angle: 100 °
Distance: 10m



Model: YY-0926
Size: Φ17
Focal: 9mm
Angle: 90 °
Distance: 6m



Model: LTX-01
Size: Ø33.05*9.75
Focal: 12.7mm
Angle: 120 °
Distance: 5m



Model: YY-3015-8
Size: 30* 15.7*0.8
Focal: 8mm
Angle: 110 °
Distance: 8-10m



Model: YY-NL01
Size: Ø32.8*4.73
Focal: 10mm
Angle: 120 °
Distance: 7-9m



Model: YY-B01
Size: Ø22*7.5
Focal: 7.7mm
Angle: 100 °
Distance: 6-8m



Model: YY-A01
Size: Ø19.5*8.3
Focal: 8.5mm
Angle: 12 °
Distance: 6-8m



Model: YY-2517
Size: 24.7 *15*6.6
Focal: 12mm
Angle: 120 °
Distance: 8m



Model: XH-01
Size: 5.56*2.5
Focal: 2mm
Angle: 90 °
Distance: 2m



Model: XH-02
Size: 5.58*2.63
Focal: 2mm
Angle: 60 °
Distance: 2.5m




Model: YY-8007
Size: Ø10
Focal: 4.5mm
Angle: 120 °
Distance: 3-4m



Model: YY-2311
Size: Ø23.22* 12
Focal: 11mm
Angle: 120 °
Distance: 10m
The pattern-free area is facing down and placed 1.2m away to prevent pets.



Model: YY-1708-W
Size: Ø17.5
Focal: 9.5mm
Angle: 110 °
Distance: 9.5m



Model: YY2412
Size: 27* 15
Focal: 7mm
Angle: 100-110 °
Distance: 6m




Model: LQ-01
Size: Ø15.5 *8.45
Focal: 4mm
Angle: 90 °
Distance: 2-3m

Wall Mounting > 1.5m(with housing)



Model: 8002-2
Size: 23.3 *23.3* 14.8
Focal: 10.5mm
Angle: 360 °
Distance: 10m



Model: 024120
Size: 23.5 *23.5* 17.2
Focal: 12mm
Angle: 120 °
Distance: 12m



Model: 023101
Size: $\varnothing$ 23.4*11.5
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 8003-2F
Size: $\varnothing$ 25.3*12.5
Focal: 10.5mm
Angle: 120 °
Distance: 12m



Model: 8002-2W
Size: 23.3 *23.3* 14.7
Focal: 10.5mm
Angle: 120 °
Distance: 12m



Model: 8002-1(孔)
Size: 23.5 *23.5* 19
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 023100
Size: 23.4 *23.4* 18.9
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 028140
Size: $\varnothing$ 28*15
Focal: 15mm
Angle: 120 °
Distance: 10m




Model: Q23-X-2
Size: 23.4*23.4
Focal: 10.5mm
Angle: 120 °
Distance: 10m




Model: Q23-X-1
Size: 23.4 *23.4
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model:
018090-6-M
Size: $\Phi 18\text{mm}$
Focal: 9mm
Angle: 120°
Distance: 8m



Model:
YY-023115-15
Size: $\varnothing 26$
Focal: 11.5mm
Angle: 120°
Distance: r/R 10m



Model: YY-1003-45
Size: 24×24
Focal: 12mm
Angle: 120°
Distance: 10m



Model: YY-3518
Size: $\varnothing 39.83 \times 18$
Focal: 17.5mm
Angle: 160°
Distance: 10m



Model: YY-01
Size: $\varnothing 21.3 \times 6.1$
Focal: 8mm
Angle: 120°
Distance: 8m



Model: YY-1104
Size: $\Phi 27$
Focal: 8mm
Angle: 90°
Distance: 9m



Model: YY-2737-G
Size: 38.29×27.6
Focal: 10mm
Angle: 110°
Distance: 12m



Model: HD001-G
Size: 33.99×20.2
Focal: 12mm
Angle: 120°
Distance: 12m



Model: 7709-12
Size: 17.8×13.94
Focal: 10mm
Angle: 120°
Distance: 10m



Model: 01809-2
Size: 17.8×11.95
Focal: 9mm
Angle: 120°
Distance: 8m



Model: YY-3015
Size: $\varnothing 34 \times 15$
Focal: 15mm
Angle: 135°
Distance: 12m



Model: YY-023115-
Size: $\varnothing 26 \times 17.2$
Focal: 11.5mm
Angle: 120°
Distance: 10m



Model: 8003-2F-X
Size: 25.5 *12.3
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 023100
(without leg)
Size: 23.4 *23.4* 18.9
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 024120
(without leg)
Size: 23.5*23.5 *17.2
Focal: 12mm
Angle: 120 °
Distance: 12m



Model: 9002-1.7
Size: $\varnothing$ 24*20
Focal: 12mm
Angle: 360 °
Distance: $\varnothing$ 10m



Model: 9002-1
尺寸: $\varnothing$ 24*19.2
Focal: 12mm
Angle: 360 °
Distance: $\varnothing$ 10m



Model: NL-02
Size: 23.3 *19
Focal: 11.6mm
Angle: 120 °
Distance: 10m



Model: 8003-1
Size: $\varnothing$ 22.7*18.6
Focal: 10.5mm
Angle: 100 °
Distance: 10m



Model: 8005-2
Size: $\varnothing$ 23*19.7
Focal: 11mm
Angle: 120 °
Distance: 10m



Model: 7709-1W
Size: $\varnothing$ 21*17.2
Focal: 7.6mm
Angle: 120 °
Distance: 8m




Model: 7709-2
Size: $\varnothing$ 17*9
Focal 6mm
Angle: 100 °
Distance: 6m



Model: 7709-1
Size: $\varnothing$ 20.7*16.9
Focal: 7.6mm
Angle: 120 °
Distance: 8m



Model: 018090
Size: $\varnothing$ 17.8*13.94
Focal: 9mm
wall/ceiling mounting 3m
Angle: 360 °
Distance: 8m / r/R6m



Model: 023115
Size: $\varnothing$ 26*17.3
Focal: 11.5mm
Angle: 120 °
Distance: 10m



Model: HD003
Size: 32.8 *20.5
Focal: 10mm
Angle: 120 °
Distance: 10m



Model: HD002
Size: 33*17.9
Focal: 10mm
Angle: 120 °
Distance: 10m



Model: a quarter ball
Size: 52.6 *31*23.1 *29
Focal: 30mm
Angle: 120 °
Distance: 15m



Model: SB-S19
Size: $\varnothing$ 18
Focal: 9mm
Angle: 120 °
Distance: 8m



Model: YY-B2010
Size: $\varnothing$ 23.4 *13
Focal: 10mm
Angle: 120 °
Distance: 10m



Model: YY-2532
Size: 32*25
Focal: 12mm
Angle: 120 °
Distance: 12m



Model: YY-2311
Size: $\varnothing$ 12.5
Focal: 11mm
Angle: 120 °
Distance: 10m



Model: SC-01
(Compound eyes)
Size: $\varnothing$ 30.3*21.1
Focal: 10mm
Angle: 120 °
Distance: 8m




Model: YY-2100
Size: Ø21* 11.8
Focal: 11mm
Angle: 120 °
Distance: 10.8m




Model:
YY-2010-20
Size: Ø23.6 *7.6
Focal: 10mm
Angle: 120 °
Distance: 10m



Model: YY-3120
Size: 24*34.6
Focal: 23mm
Angle: 60 °
Distance: 20m



Model: YY-3012
Size: Ø33.4
Focal: 12mm
Angle: 120 °
Distance: 12m



Model: YY-3012-2
Size: Ø33.4
Focal: 12mm
Angle: 120 °
Distance: 12m



Model: YY-4015
Size: Ø43
Focal: 15mm
Angle: 120 °
Distance: 15m



Model: YY-RG01
Size: Ø39.8*7.7
Focal: 12mm
Angle: 120 °-130 °
Distance: 8m

Ceiling Mounting



Model: 13120F-2
Size: $\varnothing$ 12.5*10.6
Focal: 6mm
Angle: 360 °
Distance: Dia. 7m



Model: 13120F
Size: $\varnothing$ 14*10.4
Focal: 6mm
Angle: 120 °
Distance: 5-6m



Model: N0803-32
Size: $\varnothing$ 16*6
Focal: 6mm
Angle: 120 °
Distance: 5m



Model:
018090-6-M
Size: Φ 18mm
Focal: 9mm
Angle: 360 °
Distance: Dia. 9m



Model: YY-0926
Size: Φ 17
Focal: 9mm
Angle: 360 °
Distance: Dia. 6m



Model: HM-CM0.5-7
Size: 26.75*26.75
Focal: 12.7mm
Angle: 360 °
Distance: Dia. 14m




Model: YY-1001
Size: Φ 17
Focal: 6mm
Angle: 360 °
Distance: Dia. 12m



Model: YY-0515
Size: Φ 34.3
Focal: 19.1mm
Angle: 360 °
Distance: Dia. 12m



Model: YY-D248
Size: Φ 38.6
Focal: 23mm
Angle: 53 °
Distance: Dia. 12m
Wall mounting 12m



Model: YY-W01
Size: 25.6 *27
Focal: 10.6mm
Angle: 360 °
Distance: Dia. 8m



Model: DJ-23
Size: $\varnothing$ 22*8.8
Focal: 10mm
Angle: 360 °
Distance: Dia. 12m



Model: 2915
Size: 28.7*21.7* 15
Focal: 10mm
Angle: 360 °
Distance: r/R 8m



Model: 01809-2
Size: 17.8*11.95
Focal: 9mm
Angle: 120 °
Distance: 8m



Model: 3517
Size: 39.2*17.7
Focal: 15mm
Angle: 120 °
Distance: 10m



Model: 8605-3G
Size: $\varnothing 44.5 \times 12.2$
Focal: 15mm
Ceiling
mounting 3M
Angle: 360 °
Distance: Dia.: 12m



Model: S-23115
Size: $\varnothing 23.4 \times 18.3$
Focal: 10.5mm
Angle: 360 °
Distance: Dia. 10m



Model: 8003-4
Size: $\varnothing 23.2 \times 18.8$
Focal: 10mm
Angle: 120 °
Distance: 10m



Model: YY-6725
Size: $\varnothing 69.6 \times 71.3$
Focal: 20mm
Angle: 360 °
Distance: Dia. 20m



Model: YY-6030
Size: $\varnothing 63 \times 64.49$
Focal: 29.8mm
Angle: 360 °
Distance: Dia. 16m



Model: YY-1715
Size: $\varnothing 17$
Focal: 6mm
Angle: 360 °
Distance: Dia. 10m



Model: X-23115-1
Size: $\varnothing 25.5$
Focal: 10.5mm
Angle: 360 °
Distance: Dia. 10m




Model: YY-2120
Size: $\varnothing 21$
Focal: 10mm
Angle: 360 °
Distance: Dia. 10m



Model: 018090-LW
Size: $\varnothing 18.08 \times 13.94$
Focal: 9mm
Angle: 140 °
Distance: r/R8m



Model: 8120-5BL
Size: $\varnothing 14.2 \times 6.6$
Focal: 6mm
Angle: 360 °
Distance: $\varnothing 10m$




Model: 7709-4
Size: $\varnothing 23.7 \times 12.9$
Focal: 11mm
Angle: 120 °
Distance: 10m



Model: 8003-2F-X
Size: 25.5* 12.3
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 023100
(without leg)
Size: 23.4 *23.4* 18.9
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 024120
(without leg)
Size: 23.5*23.5*17.2
Focal: 12mm
Angle: 120 °
Distance: 12m



Model: 9002-1.7
Size: $\varnothing 24 \times 20$
Focal: 12mm
Angle: 360 °
Distance: $\varnothing 10m$



Model: 9002-1
尺寸: $\varnothing 24 \times 19.2$
Focal: 12mm
Angle: 360 °
Distance: $\varnothing 10m$



Model: NL-02
Size: 23.3* 19
Focal: 11.6mm
Angle: 120 °
Distance: 10m



Model: 8003-1
Size: $\varnothing 22.7 \times 18.6$
Focal: 10.5mm
Angle: 100 °
Distance: 10m



Model: 8005-2
Size: $\varnothing 23 \times 19.7$
Focal: 11mm
Angle: 120 °
Distance: 10m



Model: 2134-1
Size: 26.8 *15*17.1
Focal: 7.5mm
Angle: 120 °
Distance: 5m



Model: 2136-1
Size: 23.8* 16.3* 13.1
Focal: 7.5mm
Angle: 120 °
Distance: 6m



Model: 2135-1
Size: 25* 15* 17
Focal: 7.5mm
Angle: 120 °
Distance: 6m



Model: 8308-6
Size: 13.6* 15.5
Focal: 9.6mm
Angle: 90 °
Distance: 8m




Model: 8308-2
Size: $\varnothing$ 11.5*14.5
Focal: 6mm
Angle: 60 °
Distance: 5m



Model: 018090
Size: $\varnothing$ 17.8*13.94
Focal: 9mm
wall / ceiling 3m
Angle: 360 °
Distance: 8m / r/R6m



Model: 023115
Size: $\varnothing$ 26*17.3
Focal: 11.5mm
Angle: 360 °



Model: 8605-2
Size: $\varnothing$ 44.5*12.2
Focal: 15mm
Angle: 360 °
Distance: 5m



Model: 8102-4
Size: $\varnothing$ 43.1 *4.5
Focal: 15mm
Ceiling 3M/5M
Angle: 360 °
Distance: Dia.: 8/14m



Model: 8102-2
Size: $\varnothing$ 49*2.6
Focal: 15mm
Ceiling 2.5m
Angle: 360 °
Distance: Dia. 7m



Model: 8605-5
Size: $\varnothing$ 45.7 *12.4
Focal: 15mm
Ceiling 2.5M
Angle: 360 °
Distance: Dia.: 10m



Model: 8605-1
Size: $\varnothing$ 43* 12.4
Focal: 15mm
Angle: 360 °
Distance: Dia.: 10m



Model: 8605-3
Size: $\varnothing$ 44.5*12.2
Focal: 15mm
Angle: 100 °
Distance: Dia. 12m



Model: 8603-6
Size: $\varnothing$ 45* 11
Focal: 17.5mm
Angle: 360 °
Distance: Dia. 12m



Model: 8603-4
Size: $\varnothing$ 45 *11
Focal: 17.5mm
Angle: 360 °
Distance: Dia. 12m




Model: 8604-5
Size: $\varnothing$ 52.5*7.9
Focal: 18mm
Angle: 360 °
Distance:
r/R: 7m
Ceiling 2.5M




Model: 8603-3
Size: $\varnothing$ 45.9*11.4
Focal: 17.5mm
Angle: 360 °
Distance: Dia. 10m



Model: 8605-3W
Size: $\varnothing$ 43.6* 11.4
Focal: 15mm
Ceiling :2.5M
Angle: 360 °
Distance: Dia.: 10m



Model: 8605-2B
Size: $\varnothing$ 35.7* 11.5
Focal: 15mm
Angle: 360 °
Distance: φ 10m



Model: 8603-4A
Size: $\varnothing$ 35.6*11
Focal: 17.5mm
Angle: 360 °
Distance: Dia. 12m



Model: Q10050
Size: $\varnothing$ 100*58
Focal: 50mm
Angle: 360 °
Distance: Dia.: 12m
Ceiling 3M



Model: Quad probe
Size: 76.6 *76.6*33.8
Focal: 30mm
Angle: 360 °
Distance: r/R 19m
ceiling mounting 8M



Model: Q70
Size: $\varnothing$ 70*35
Focal: 35mm
Angle: 360 °
Distance: Dia. 10m
ceiling mounting 5M



Model: 8121-4
Size: Φ 9.8
Focal: 5.2mm
Angle: 360 °
Distance: r/R 4.5m



Model: 8121-3
Size: Φ 9.8
Focal: 5.2mm
Angle: 360 °
Distance:
r/R 2.5m



Model: YY-5316-F
Size: Φ 53* 11.6
Focal: 20mm
Angle: 360 °
Distance: Dia. 12m
ceiling mounting 6m



Model: YY-5316-L
Size: Φ 53* 10.8
Focal: 18mm
Angle: 360 °
Distance: Dia. 12m
ceiling mounting 8m



Model: TZ-9812
Size: $\varnothing 14 \times 11.1$ (with base)
Focal: 6.5mm
Angle: 360°
Distance: Dia. 9m



Model: HF-4
Size: $80.2 \times 80.2 \times 21.1$
Focal: 14mm
Angle: 360°
Distance: 12-15m
4pcs PIR
ceiling mounting 3m



Model: YY-B2010
Size: $\varnothing 23.4 \times 13$
Focal: 10mm
Angle: 360°
Distance: r/R 5m



Model: SB-S19
Size: $\varnothing 18$
Focal: 9mm
Angle: 360°
Distance: Dia. 8m



Model: 29207
Size: $\varnothing 29.4 \times 7.53$
Focal: 8mm
Angle: 120°
Distance: 8m



Model: 4424
Size: $\varnothing 51.5 \times 23$
Focal: 24mm
Angle: 360°
Distance: r/R 12m



Model: SR-001
Size: $\varnothing 44 \times 15.09$
Focal: 15mm
Angle: 360°
Distance: r/R 8m




Model: TZ-360
Size: $\varnothing 50 \times 25$
Focal: 13.58mm
Angle: 360°
Distance: r/R 10m
ceiling 2.5m
3pcs PIR



Model: 7906-20-G3
Size: $\varnothing 52.5$
Focal: 19.6mm
Angle: 360°
Distance: r/R 5.9m



Model: 8120-5CL
Size: $\varnothing 13 \times 8.65$
Focal: 6mm
Angle: 360°
Distance: Dia. 8m



Model: HM-CM0.5-45
Size: $\varnothing 26.75$
Focal: 12.7mm
Angle: 360°
Distance: Dia. 18m



Model: 8605-12
Size: $\varnothing 43.8$
Focal: 17mm
Angle: 360°
Distance: Dia. 10m



Model: YY-D54-25
Size: Ø63.6
Focal: 25.4mm
Angle: 360 °
Distance: r/R 3.7m



Model: 023101
Size: $\varnothing$ 23.4*11.5
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 8003-2F
Size: $\varnothing$ 25.3*12.5
Focal: 10.5mm
Angle: 120 °
Distance: 12m



Model: 8002-2W
Size: 23.3*23.3* 14.7
Focal: 10.5mm
Angle: 120 °
Distance: 12m



Model: 8002-2
Size: 23.3*23.3* 14.8
Focal: 10.5mm
Angle: 110 °
Distance: 11m



Model: 8002-1(with hole)
Size: 23.5*23.5* 19
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 023100
Size: 23.4*23.4* 18.9
Focal: 10.5mm
Angle: 120 °
Distance: 10m



Model: 024120
Size: 23.5*23.5* 17.2
Focal: 12mm
Angle: 120 °
Distance: 12m



Model: 028140
Size: $\varnothing$ 28*15
Focal: 15mm
Angle: 120 °
Distance: 10m



Model: 8308-8
Size: 10.4*9.5
Focal: 4mm
Angle: 360 °
Distance: r/R 5m



Model: YY-1201
Size: Ø17
Focal: 8mm
Angle: 360 °
Distance: 7m
Ceiling 4m



Model: YY-1204
Size: Ø33.6
Focal: 18mm
Angle: 360 °
Distance: 14m
Ceiling 10m



Model: YY-1202
Size: Ø22.4
Focal: 11mm
Angle: 360 °
Distance: 10m
Ceiling 6m



Model: YY-D36
Size: Ø36*7.2
Focal: 17.5mm
Angle: 360 °
Distance: 10m



Model: 13120-S19
Size: Ø14
Focal: 6mm
Angle: 120 °
Distance: 6m



Model: 8603-6G
Size: Ø38.8
Focal: 17.5mm
Angle: 360 °
Distance: 14m



Model: YY-D52
Size: Ø52
Focal: 17mm
Angle: 240 °
Distance: 17m
For floodlight



Model: YY-V6
Size: Ø52.5
Focal: 19.5mm
Angle: 360 °
Distance: 8m



Model: YY-B02
Size: Ø22*7.5
Focal: 7.7mm
Angle: 360 °
Distance: 6m



Model: YY-1508
Size: Ø16.8 *12.05
Focal: 7.5mm
Angle: 360 °
Distance: 2.5m



Model: YY-A02
Size: Ø19.5 *8.3
Focal: 8.5mm
Angle: 360 °
Distance: 8m